No.



8900254

THE UNITED STAYIES OF AMIERICAL

TO ALL TO WHOM THESE PRESENTS SHALL COME:
University of Idaho

Withereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different ty therefrom, to the extent provided by the Plant Variety Protection Act. United States seed of this variety (1) shall be sold by variety name only as a certified seed and (2) shall conform to the number of generations the owner of the rights. (84 Stat. 1542, as amended, 7 U.S.C. 2321 ET SEQ.)

BEAN

'UI 722'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C.

this 31st day of July in the year of our Lord one thousand nine hundred and ninety-two.

Allosh

Commissioner

Plant Variety Protection Office Agricultural Marketing Service Secretary of Agriculture

U.S. DEPARTME AGRICULTURAL APPLICATION FOR PLANT VAI	Application if a plus be issued to the contraction of the contraction	FORM APPROVED: OMB NO. 0581-0055 Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).				
1. NAME OF APPLICANT(S) University of Idaho	2. TEMPORARY DESIGNATION ID5722	3. V	UI 722			
4. ADDRESS (Street and No. or R.F.D. No., City, S MOSCOW, ID 83843	State, and Zip Code)	5. PHONE (Include area code)	PVPO NUMBER 8900254			
Phaseolus Vulgaris (L.)	7. FAMILY NAM		FILING	DATE 19,1989	7 	
B. KIND NAME Dry Bean - Dark Red Kidney		DATE OF DETERMINATION Feb. 1, 1986 April 1, 1987	RECEIVED	\$ 2150 PDATE	9	
10. IF THE APPLICANT NAMED IS NOT A "PER partnership, association, etc.) Land-Grant University						
11. IF INCORPORATED, GIVE STATE OF INCOM	RPORATION		12. 0	DATE OF INCORPORATION		
Kimberly, ID 83341 14. CHECK APPROPRIATE BOX FOR EACH ATT a. Exhibit A, Origin and Breeding History b. Exhibit B, Novelty Statement. c. Exhibit C, Objective Description of Va d. Exhibit D, Additional Description of V e. Exhibit E, Statement of the Basis of A 15. DOES THE APPLICANT(S) SPECIFY THATS SEED? (See Section 83(a) of the Plant Variety	riety (Request form fariety. pplicant's Ownership	TED Section 52 of the Plant Variety I from Plant Variety Protection O	Protection ffice.) ME ONL	Y AS A CLASS OF CERTIFII	ED No	
16. DOES THE APPLICANT(S) SPECIFY THAT T LIMITED AS TO NUMBER OF GENERATION	HIS VARIETY BE	17. IF "YES" TO ITEM 16 BEYOND BREEDERS		CLASSES OF PRODUCTION	7	
X Yes No 18. DID THE APPLICANT(S) PREVIOUSLY FI	LE FOR PROTECTI	X Foundation		Yes (If "Yes," gi	tified	
19. HAS THE VARIETY BEEN RELEASED, OFF	ERED FOR SALE,	OR MARKETED IN THE U.S. (ов отне	R COUNTRIES ? Yes (If "Yes," go of countries and	ive name. dates)	
20. The applicant(s) declare(s) that a viable sa plenished upon request in accordance with	such regulations :	as may be applicable.				
The undersigned applicant(s) is (are) the o distinct, uniform, and stable as required in Variety Protection Act.	Section 41, and is	s entitled to protection under	the provi	isions of Section 42 of the	ety is Plant	
Applicant(s) is (are) informed that false re	presentation herei	n can jeopardize protection an		ATE		
SIGNATURE OF APPLICANT MANY CONTROL OF APPLICANT MANY CONTROL OF APPLICANT	· Deni	ento TAES		3/30/89 ATE/ 6-10-89		
FORM LS-470 Edition of 7-84 obsolete.						

INSTRUCTIONS

General: Send an original copy of the application and exhibits, at least 2,500 viable seeds (furnish only untreated seed), and \$1,800 fee (\$200 filing fee and \$1,600 examination fee) to the U. S. Department of Agriculture, Agricultural Marketing Service, Plant Variety Protection Office, National Agricultural Library Building, Beltsville, Maryland 20705. (See Section 180.175 of the Regulations and Rules of Practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

Item

- Give the date the applicant determined that he had a new variety based on (1) the definition in Section 41(a) of the Act and (2) the date a decision was made to increase the seed.
- Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method; (2) the details of subsequent stages of selection and multiplication; (3) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified and (4) evidence of uniformity and stability.
- Give a summary statement of the variety's novelty. Clearly state how this novel variety may be distinguished from all other varieties in the same crop. If the new variety most closely resembles one or a group of related varieties: (1) identify these varieties and state all differences objectively; (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and (3) submit, if helpful, seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty.
- 14c Fill in the Exhibit C, Objective Description form, for all characteristics for which you have adequate data.
- Describe any additional characteristics that are not described, or whose description cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the description of characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- Section 52(4) of the Plant Variety Protection Act requires applicants to furnish a statement of the basis of the applicant's ownership. The applicant may be the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.
- If "Yes" is specified (seed of this variety be sold by variety name only as a class of certified seed) the applicant may NOT reverse his affirmative decision after the variety has either been sold and so labeled, his decision published, or the certificate has been issued. However, if the applicant specified "No," he may change his choice. (See Section 180.16 of the Regulations and Rules of Practice.)
- See Sections 41 (i,j) and 42 of the Plant Variety Protection Act and Section 180.7 of the Regulations and Rules of Practice for eligibility requirements.
- NOTE: All information submitted in support of an application becomes PUBLIC INFORMATION once the certificate is issued. (See Section 180.17 of the Regulations and Rules of Practice.)

Exhibit A Origin and Breeding History of 'UI 722'

'UI 722' was an F_6 selection made by John Kolar in 1983 derived from the 1978 cross 'Mecosta' X (PI 226856 X 67-105) F_6 . The pedigree breeding method was used to develop this cultivar (Figure 1). It is now in the F_{10} generation. The parent 'Mecosta' is a late-maturing light red kidney released by Michigan State University. It has resistance to halo blight, bean common mosaic virus (BCMV), and tolerance to rust and ozone. 67-105 was a kidney breeding line developed by Marshall LeBaron at the Kimberly Research Station. Its characteristics are unknown to me. PI 226856, a Spanish cultivar, has a viny growth habit with mediumlarge white seed. It was reported to have BCMV and bean yellow mosaic virus resistance.

'UI 722' was tested in preliminary yield trials at Kimberly in 1985, and in advanced yield trials in 1986. It was tested at both Kimberly and Parma, and in New York State in 1987. In 1988, it was tested in two separate trials at the Kimberly and Parma locations (Exhibit D, Table 1).

Tests for resistance to BCMV were performed at Prosser, WA under the direction of Matt Silbernagel in 1988. 'UI 722' was resistant to the NY-15 and NL-4 races of BCMV, but susceptible to the NL-3 race of BCMV. These results are consistent with 'UI 722' possessing the dominant I gene for resistance to BCMV.

Canning trials were performed by American Fine Foods in Fruitland,

ID in 1986. 'UI 722' performed satisfactorily when compared to

'Carmine' and 'California Dark Red Kidney'.

Figure 1. Pedigree for the dark red kidney UI 722.1

Cross: Mecosta X (PI 226856 X 67-105)F₆

Gen	eration	Year	Comments
	F ₁	1978	
	1		
	F ₂	1979	Single plant selection
	F ₃	1980	Single plant selection
	+ 77 SW 2 1		
	F ₄	1981	Single plant selection
	1		
	F ₅	1982	Bulked
	1		
	F ₆	1983	Bulked
	1		
		1984	
	1		
	F ₇	1985	Preliminary Nursery
	1		
	F ₈	1986	Advanced Nursery
	1		
	F ₉	1987	Advanced Nursery
	1		
	F ₁₀	1988	Advanced Nursery

¹Crosses made in the greenhouse and all other generations grown in the field.

Seed increase made in 1987 from bulked seed maintained in the 1986 early generation nursery.

Exhibit B

Statement of Novelty

'UI 722' can be distinguished from other dark red kidney cultivars by seed characteristics and maturity. Its seed are, on average, larger than other dark red kidneys, and of similar size to the light red kidney 'Redkloud'. The seed are slightly darker than 'Charlevoix' but slightly lighter than 'Montcalm', and have a true "kidney" shape whereas seed of other dark red kidneys have a more "linear" shape. 'UI 722' blooms six to eight days later than 'Montcalm', and two days later than 'Royal Red'. On average in Idaho, 'UI 722' matures four days later than 'Montcalm' and three days later than 'Royal Red'. 'UI 722' has consistently out-yielded 'Montcalm' in Idaho with the exception of the 1988 CDBN and miscellaneous Kimberly trials (Exhibit D, Table 1).

UI 722 (PV No. 8900254) has been uniform over the last 7 generations. UI 722 is most similar to 'Montcalm' but differs in that seed of UI 722 are lighter in color and more reniform in shape than Montcalm. UI 722 blooms and matures later than Montcalm.

U. S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK AND SEED DIVISION

OBJECTIVE DESCRIPTION OF VARIETY Dry Edible Bean (Phaseolus vulgaris L.)

University of Idaho		EXPERIMENTAL NAME ID5722	VARIETY	NAME 1 722
DDRESS (Street and No. or R.F.D. No., City, State, ZIP)	aunless indicated as "optional." Place numbers in the box and data should be the mean of an appropriate number of water data should be the mean of an appropriate number of water standard may be used to determine plant color. Design Chart Check		FOR C	FFICIAL USE ONLY
Moscow, ID 83843			PVPO NO.	3900254
escribe this variety. Measured data should be the n	nean of an approp	riate number of well space	ed (15-20 cm) plants.	The Royal Horticulture
R. H. S. Colour Chart	LOCATION C Kimberl	y, Parma ID, New Y	ATE THIS VARIETY	
MARKET CLASS	2. MATURITY			
1 = Navy (Pea) 2 = Small White 3 = Black 4 = Pinto 5 = Great Northern 6 = Small Red 7 = Pink 8 = Cranberry 9 = Dark Red Kidney 10 = Light Red Kidney NSeafarer Aurora Midnight UI-114 UI-59 NW-59 Viva Viva Viva NW-59 Viva Red Kidney Montcalm Redkloud	1 0 6	Days from planting to ha Heat units from planting temperature used:	to harvest maturity (opti	ional). Specify base
TYPE 1 = Ia Bush-determinate, strong and erect stem and 2 = Ib Bush-determinate, weak stem and branches 3 = IIa Erect growth habit-indeterminate, guides (reshort or not developed) 4 = IIb Erect growth habit-indeterminate, guides may long, with no ability to climb 5 = IIIa Vine-indeterminate, short guides with no as 6 = IIIb Vine-indeterminate, long guides with ability 7 = IVa Indeterminate climbing, pods distributed to the plant 8 = IVb Indeterminate climbing, pods concentrate upper part of the plant	runners) nedium to ability to climb ty to climb throughout	0 3 8 Average heigh 2 Pod Position: 1 Adaptability	: 1 = Low (lower pods to 2 = High (lower pods no 3 = Scattered (not cond	o. (use same check as above buching soil surface) or touching soil surface) centrated high or low) Adapted 2 = Not Adapte
LEAFLET MORPHOLOGY (Use terminal leaflet of a full 2 1 = Smooth; 2 = Wrinkled 1 1 =				
1 = Ovate 2 = La	anceolate	3 = Deltoid	4 = Cordate	5 = Rhomboid
2 APEX OF LEAFLET: 2 = Acute	Acuminate	3 = Cuspidate	4 = Obtuse	
1 = Obtuse 2 = 5 BASE OF LEAFLET:	Oblique	3 = Cordate	4 = Cuneate	5 = Attenuate

SHAPE OF SEED TAKEN 1 = Round 2 = Oval 3 = Cuboid 4 = Kidney 5 = Truncate Fastigrate













. ANTHOCYANIN F							0/0	10254	7
	GMENTATION								<i>T</i>
1 = ABSENT	1 Flowers	1 Ster	ns	1 Pods		1 Seeds			
2 = PRESENT	1 Leaves	1 Pet	ioles	1 Pedunc	es [1 Nodes			
. KNOWN DISEASE	REACTION								
DISEASES - COM wilt, Sclerotinia v mottle virus, Bear Other (specify)	n common mosa	aic virus. Bean ve	ust, Powder acterial wilt illow mosaid	y mildew , Fu , Halo blight c virus, Curly	sarium roo Fuscous t top virus,	ot rot, Pythic olight, Comn Bacterial bro	um root rot, non bacteria own spot, Be	Rhizoctonia r I blight, Red n ean southern n	oot rot, Pytoode virus, Ponosaic virus,
REACTION: 1 =	Susceptible; 2 =	Resistant; 3 = To	erant; 4 = A	voidance					
	(Give the commor	n name (CN), scient	ific name (SN	l), and race(s)	where appl	licable)			
		mon Mosaic \					ce(s)NY-1	5 NL-4	
1 DISEASE:	CN II	п п т	; SN			; Rac	:e(s)NL-3		
1 DISEASE:	cn Curly To	p Virus	; sn			; Rac	e(s)		
DISEASE:	CN		; sn			; Rac	e(s)		
DISEASE:	CN		; SN			; Rac	e(s)		
. KNOWN INSECT/ PESTS - COMM			voovil Pruo	hid bastla C		Floring	t- 1 - 61 -		
Mexican bean be	etle, Root knot	t nematode, Corr	seed magg	ot, Spider mi	tes, Thrips	, Weevils, We	estern bean o	cutworm, Othe	r (specify)
	Sussessibles 2 =	Resistant; 3 = To	erant; 4 = A	voidance					
REACTION: 1=	Susceptible; 2-								
		e (CN), scientific n	ame (SN), and	d biotype, whe	re applicable	e)			
(Give	the common name								
(Give	the common name	e (CN), scientific n	SN			; Biotype_			
(Give	the common name	e (CN), scientific n	sn			; Biotype; Biotype_			_
(Give PEST: CN _ PEST: CN _ PEST: CN _	the common name	e (CN), scientific n	sn			; Biotype; Biotype_			
(Give PEST: CN _ PEST: CN _	OGICAL STRESS	e (CN), scientific n	sn			; Biotype; Biotype_			
PEST: CN_ PEST: CN_ PEST: CN_ KNOWN PHYSIOL 1 = Susceptible; 2 =	OGICAL STRESS Resistant; Avoidance	B REACTION	SN			; Biotype; Biotype; Biotype			

13. COMMENTS

EXHIBIT D

Additional Description of 'UI 722'

Table 1. Days to flowering and maturity, seed size, yield, growth habit, and lodging of the dark red kidney 'UI 722' and checks.

Location	Nursery	2 Year	Entry 3	Days Bloom			iol.	Harvest Maturity				Growth Habit	Lodging
Kimberly	CDBN	1988	UI 722	59	а	94	а	102	46.6 a	1542 a		I	2.2 a
			Montcalm	47	a	89	c	97	41.3 b	1727 a		· I	2.6 a
			Royal Red	59	а	92	b	100	41.2 b	1900 a		I	2.3 a
			Redkloud	44	b	87	С	95	45.8 a	1592 a		I	1.9 a
Parma	CDBN	1988	UI 722	48	a	91	a	98	40.7 a	1956 b	,	I	2.4 ab
			Montcalm	45	b	86	b	97	39.9 a	1683 c	:	I	2.8 b
			Royal Red	45	b	86	b	96	38.0 a	2542 a	b	I	2.3 ab
			Redkloud	41	С	85	b	96	42.4 a	2305 a	b	I	1.8 a
Parma	MISC	1988	UI 722	47	a	91	а	99	39.0 a	1819 a	1	I	2.6 a
			Montcalm	45	b	88	b	97	34.8 b	1552 a	1	I	3.2 b
			Redkloud	43	С	87	b	96	41.0 a	2036 a	1	I	2.3 a
Kimberly	MISC	1988	UI 722	59		94		102	47.0 a	1426 a		I	2.3 -
			Montcalm	52	-	90	-	98	42.4 a	1667 a	1	I	2.3 -
			Redkloud	44	•	91	•	99	45.3 a	1531 a	1	I	2.3 -
Kimberly	CDBN	1987	UI 722	51	а	110	a	118	56.4 a	2794 a	1	I	2.5 a
		Montcalm	47	а	100	b	108	49.3 a	1641 b		I	2.0 b	
			Sacramento	38	b	91	c	99	50.1 a	1566 b		I	1.0 c
			Redkloud	37	b	96	bc	104	53.2 a	1943 b)	I	2.0 b
Parma	CDBN	1987	UI 722			110	а	118	46.5 a	2037 a	1	I	
			Montcalm			109	а	117	45.5 a	1672 a	3	I	
			Sacramento	-		90	b	98	47.2 a	1476 a		I	- 1
			Redkloud			95	b	103	50.2 a	2232 a	1	I	
Kimberly	MISC	1986	UI 722	-		85	-	93	52.3 -	2390 -		I	
			Redkloud			82		90	48.3 -	2766 -		I	
Kimberly	MISC	1985	UI 722			98	-	106	50.8 -	2822 -		I	
			Isabella	-		92	-	100	51.2 -	2535 -		I	
			Redkloud			95		103	51.2 -	2938 -		I	
Freeville	, NY	1987	UI 722			136	2	-	67.8 a	2171 b		I	12.
			Montcalm	-		119	-	-	65.4 a	2807 a	1	I	
			Royal Red			135			66.7 a	1543 c		I	•
Churchvil	le, NY	1987	UI 722						59.1 a	2913 a		I	
			Montcalm			-			57.0 b	2129 b)	I	- 4
			Royal Red	-		-			54.0 b	2831 a	1	I	

Location Nursery Year	Entry 3	Days to Bloom	Physiol. Maturity	Harvest			Growth Habit	Lodging
Penn Yan, NY 1987	UI 722				69.2 a	3238 a	I	ei.
Perin ran, Ni 1707	Montcalm				63.2 b	3160 a	1	_
	Royal Red				61.9 b	915 b	I	
Average (excluding	UI 722	53	97	105	47.5	2098	I	2.4
NY)	Redkloud	42	90	98	47.2	2168	I	2.1
Average, 1987-88	UI 722	53	98	106	46.0	1929	I	2.4
(excluding NY)	Montcalm	47	94	103	42.2	1657	I	2.6
	Redkloud	42	90	99	46.3	1940	I	2.1
Average, 1988 CDBN	UI 722	54	93	100	43.6	1749	I	2.3
	Montcalm	46	88	97	40.6	1705	I	2.7
	Royal Red	52	89	98	39.6	2221	I	2.3
	Redkloud	43	86	96	44.1	1948	I	1.9
Average, 1987	UI 722	51	110	118	51.5	2416	I	2.5
(excluding NY)	Montcalm	47	105	113	47.4	1656	I	2.0
	Sacramento	38	91	99	48.7	1521	I	1.0
	Redkloud	37	96	104	51.7	2088	I	2.0

Data from New York State were provided by Don Halseth, Department of Vegetable Crops, Cornell University.

²With the exception of the 1985 and 1988 Kimberly Miscellaneous nurseries, plots consisted of four rows replicated three or four times. The 1985 and 1988 Kimberly Miscellaneous trials were two row plots replicated two and three times, respectively.

³ 'Redkloud' and 'Sacramento' are light red kidney cultivars. All others are dark red kidneys.

A Numbers followed by different letters indicate statistical significance at P=0.05 using LSD or DNMR tests. Comparisons are valid only within nursery/year/locations.

⁵Readings taken at physiological maturity maturity (80-90% buckskin pods). Harvest maturity averages eight days later at these locations.

Exhibit D.

Additional Description of Variety



Plate 1. Photograph of seed of UI 722 (left) and Montcalm (right) showing differences in size and shape. Color reproduction may not be accurate so may only be used to judge relative differences.

Exhibit E

Statement of Ownership

The cultivar 'UI 722' was developed through the process of sexual hybridization and subsequent selection as part of an ongoing breeding program at the University of Idaho. Sole and exclusive rights to 'UI 722' are the rights of the University of Idaho. This cultivar will be handled by the Director of the Idaho Agricultural Experiment Station as a public variety. Seed of this variety may not be sold as an uncertified class as stated in Title V of the Federal Seed Act. No exclusive and binding contracts may be entered into with any commercial organization.